Distributed by:



A Sime Darby Motors Company


#### **Business and Commercial Fleet Customers?**

The Ford portfolio is growing rapidly across the Asia Pacific Region, see your local Ford dealer or call us for details today @ 1 300 383 181

For more information, visit www.sdacford.com.my

Illustration, descriptions and specifications. This catalogue was correct at the time of going to print. However, Ford policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer. Optional equipment. Throughout this publication, wherever a feature is described as being an 'Option' or 'Optional Fitment/Pack', etc., you should assume that it will be at extra cost to the base vehicle, unless specifically stated to the contrary. All models and colour combinations are subject to availability in the market. Note. Some images portrayed are of a pre-production model and/or are computer generated, therefore, the design/features on the final version of the vehicle may differ in various aspects. In addition, some of the features shown on the vehicles may be optional. Note. This brochure contains both original Ford accessories as well as a range of carefully selected products from our suppliers, which are featured under their own brands. All supplier branded products are subject to warranty terms defined by the relevant suppliers and do not lie within the responsibility of Ford. Note. The Bluetooth® trademark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Ford Motor Company is under license. Other trademarks and trade are those of their respective owners.

**Authorised Dealer** 





## A New Take On Adventure

The design of the New Ranger WildTrak Sport introduces a bold new front grille and freshened interior. New features make life easier, including our first and only in-class Easy Lift Tailgate for effortless loading and unloading.



### **Light and Easy**

With an impressive 800mm water wading and heavy towing capacity, the Ranger WildTrak Sport makes heavy-duty tasks at hand seem light and easy.





Black Alloy Wheels



Illuminated Front Scuff Plate



New Front Grille



Black Door Handles



WildTrak Sport Emblem



Easy Lift Tailgate



Power and Performance

Ranger WildTrak Sport is equipped with a 10-speed automatic transmission and refined 2.0L Bi-Turbo engine for you to take on demanding tasks and your everyday adventures, without compromising efficiency.



213<sub>PS</sub>
TORQUE
500<sub>Nm</sub>



Ranger WildTrak Sport first and only in-class 2.0L Bi-Turbo diesel engine is a stroke of genius. Two turbochargers work independently to deliver extra torque on demand.



## Shift-On-The-Fly

Move effortlessly between 2WD and 4WD high mode or low mode.



### Swift and Unsubtle Power

Ford's first and only in-class 10-speed automatic transmission is a revolution in performance, delivering more power, more torque, and more accurate, swifter gear changes. Plus, it's more durable and efficient too.



## Outsmart the Rest

The Ranger WildTrak Sport is full of smart features you might not expect to find in a truck. What's not surprising is how these intuitive and responsive technologies elevate your driving experience and with more capabilities than ever.



#### Safety First, Second and Third

Ranger WildTrak Sport's reinforced safety cell is supplemented with the protection of 6 airbags, including side and curtain airbags. Combined with the comprehensive Electronic Stability Control programme and driver-assist technologies that help mitigate risks and keep you in your lane, your Ranger is safer than ever.





#### Adaptive Cruise Control\*

Forget having to turn your cruise control on and off as traffic conditions change. Adaptive Cruise Control scans traffic and adjust speed automatically. When traffic slows down, the Ranger WildTrak Sport slows down too. When traffic clears, the vehicle returns to your pre-set speed.



#### Semi-Automatic Parallel Parking\*

Not everyone loves to parallel park. But what if we designed a truck that not only helps you find the right size parking space by scanning the surrounding area, but also automatically steers itself in for a perfect park? Ford Ranger's first and only in-class Soming Table 19

in-class Semi-Automatic Parallel Parking makes city driving even easier.



Scan to view video



#### SYNC®3

SYNC®3 delivers
next-level connectivity
to your busy life with
great features, including
Apple CarPlay, Android
Auto, and AppLink™
compatibility. The 8-inch
touchscreen display unit
with Bluetooth, voice
recognition and navigation
support smartphone-like

functionalities that make travelling in a Ranger WildTrak Sport a pleasure.



Scan to view video

<sup>\*</sup>Warning: Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather.

### Safety

## Rest **Assured**

The Ranger WildTrak Sport loaded with advanced safety features to keep you and your passengers safe.



#### **Lane Departure** Warning & Assist\*

Keeps your vehicle from drifting away from the travel lane and alerts you with a vibration on your steering wheel and assist you back into your lane.



#### **Forward Collision** Warning\*

When you get too close to the vehicle ahead, Forward Collision Warning triggers an audible and visual warning. Brake support

simultaneously kicks in to pre-charge and increase brake assist sensitivity to provide full responsiveness when you brake.

view video

Scan to





#### **Traction Control System**

Sensors individually monitor each wheel for speed and slip, and automatically brake and increase torque when needed to maximize grip and help avoid wheel spin.



#### **Rollover Mitigation**

Helps prevent the vehicle from getting into a roll-over situation.



Scan to



#### Hill Launch Assist

No more roll-back when starting or reversing uphill. Brake pressure is held for three seconds after you release the brake and press the accelerator.

\*Warning: Driver-assist features are supplemental and do not replace the driver's attention, judgement and need to control the vehicle. May not operate in some driving and road conditions (including at certain speeds) or adverse weather.

### Safety



#### Autonomous Emergency Braking (AEB)\*

The first in-class feature detects pedestrians and vehicles, and automatically applies the brakes to help minimise a collision at up to 60km/h.



Scan to view video

# Built for Big Things

With a 1,000kg payload and 3,500kg towing capacity, you can confidently take on the biggest jobs. Ranger WildTrak Sport's Electronic Stability Control provides greater control by adapting the vehicle to handle the changing force from the loads while you're driving.



## Rearview Camera and Sensors

Parking couldn't be easier, even in crowded cities. From your higher seating, the Rearview Camera gives you a clear vision of what's behind you, while front and rear parking sensors help you park in any type of space with confidence.





#### **Specification Sheet for Ranger (WildTrak Sport)**

|                                     |          | 2.0L WildTrak Sport Automatic  |
|-------------------------------------|----------|--|
|                                     |          | 4x4 High Rider   |
| ENGINE                              |          |  |
| Туре                                |          | Diesel (I4) with Bi-Turbo  |
| Displacement                        | c.c.     | 1996   |
| Power kW (P                         | S) @ rpm | 156.7 (213) @ 3750   |
| Torque N                            | lm @ rpm | 500 @ 1750 - 2000  |
| Fuel Supply System                  |          | Commonrail Direct Injection  |
| TRANSMISSION & CHASSIS              |          |  |
| Transmission Type                   |          | 10-Speed Automatic with SelectShift  |
| Electronic Shift-on-the-fly (ESOF)  |          | Standard   |
| Front Suspension                    |          | Double Wishbone with Coil Spring   |
| Rear Suspension                     |          | Leaf Spring  |
| Front Brake                         |          | Ventilated Disc  |
| Rear Brake                          |          | Drum   |
| Differential Type                   |          | e-Locking Rear Differential  |
| Steering System                     |          | Rack & Pinion  |
| Tyres & Wheels                      |          | 265/60 R18, Alloy  |
| DIMENSIONS                          |          |  |
| Overall Length                      | (mm)     | 5426   |
| Overall Width (Exclude Side Mirror) | (mm)     | 1860   |
| Overall Height                      | (mm)     | 1848   |
| Wheelbase                           | (mm)     | 3220   |
| Ground Clearance                    | (mm)     | 237  |
| Front Track                         | (mm)     | 1560   |
| Rear Track                          | (mm)     | 1560   |
| Cargo Bed Length                    | (mm)     | 1549   |
| Cargo Bed Width                     | (mm)     | 1560   |
| Cargo Bed W.Whl Arch                | (mm)     | 1139   |
| Cargo Bed Open T/Gate               | (mm)     | 1330   |
| Cargo Bed Loading Height            | (mm)     | 801  |
| Cargo Bed Depth                     | (mm)     | 511  |
| Kerb Weight                         | (kg)     | 2156   |
| Gross Weight                        | (kg)     | 3200   |
| Fuel Tank Capacity                  | (Litres) | 80   |
| EXTERIOR FEATURE                    |          |  |
| Front Grille                        |          | WildTrak Scheme  |
| Bumpers                             |          | Body Coloured  |
| Headlamps with Manual Leveling      |          | Automatic LED Projector  |
| Daytime Running Light (DRL)         |          | LED  |
| Fog Lamps                           |          | Front LED & Rear   |
| Wiper System                        |          | Rain Sensing   |
| Wing Mirror                         |          | Power Adjustable & Foldable, Puddle Lamps with Turning Indicators                                  |
| Side Steps                          |          | Standard   |
| Bedliner                            |          | Standard   |
| Sport Bar                           |          | Standard   |
| Front Parking Sensor                |          | Standard   |
| Rear Parking Sensor                 |          | Standard   |
| Roof Rails                          |          | Standard   |
| 12V Socket (Cargo Bed)              |          | Standard   |
| Easy Lift Tailgate                  |          | Standard   |
| Cargo LED Light                     |          | Standard   |
| INTERIOR FEATURE                    |          |  |
| Cruise Control                      |          | Adaptive   |
| Steering Wheel                      |          | Leather with Control Switches  |
| Power Assisted Steering             |          | Electric (EPAS)  |
| Audio System                        |          | 8" Touchscreen Display Headunit with Bluetooth, Voice Recognition, Navigation, 2x USB & 6 Speakers |
| Windscreen Mounted USB              |          | 1x USB   |

|  | 2.OL WildTrak Sport Automatic          |
|--|--|
|  | 4x4 High Rider                         |
| INTERIOR FEATURE   | TAT III III III III III                |
| SYNC®  | SYNC®3                                 |
| Apple CarPlay & Android Auto   | Support                                |
| Rear View Mirror   | Auto Dimming                           |
| Climate Control  | Automatic Dual Zone                    |
| 12V Socket (Front)   | Standard                               |
| Power Windows  | Standard with Driver 1 - Touch Up/Down |
| Driver Seat  | 6-Way Power Adjustable Seat            |
| Passenger Seat   | 2-Way Manual Adjustable Seat           |
| Seat Material  | WildTrak Premium Leather               |
| Remote Central Locking   | Standard                               |
| Keyless Entry with<br>Push-Start Button (PEPS)                         | Standard                               |
| TFT Cluster Display  | Dual 4"                                |
| Cooled Console   | Standard                               |
| 230V AC Outlet (150W)  | Standard                               |
| SAFETY & SECURITY  |  |
| Airbags (Driver & Front Passenger)                                     | Standard                               |
| Airbags (Sides & Curtains)   | Standard                               |
| Rear View Camera   | Standard                               |
| Tailgate Lock  | Standard                               |
| Volumetric Burglar Alarm System  | Standard                               |
| Immobilizer  | Standard                               |
| ISOFIX   | Standard                               |
| Antilock Braking System (ABS)  | Standard                               |
| Electronic Brake Force Distribution (EBD)                              | Standard                               |
| Electronic Stability Control (ESC) with Traction Control               | Standard                               |
| Emergency Brake Assist (EBA)   | Standard                               |
| Hill Descent Control (HDC)   | Standard                               |
| Hill Launch Assist (HLA)   | Standard                               |
| Rollover Mitigation (ROM)  | Standard                               |
| Trailer Sway Control (TSC)   | Standard                               |
| Adaptive Load Control (ALC)  | Standard                               |
| Forward Collision Warning (FCW)  | Standard                               |
| Lane Departure Warning & Assist  | Standard                               |
| Semi Automatic Parallel Parking (SAPP)                                 | Standard                               |
| Autonomous Emergency Braking (AEB) with Vehicle & Pedestrian Detection | Standard                               |
| MyKey®   | Standard                               |
| STRENGTH & BREADTH OF CAPABILITIES                                     |  |
| Cargo Bed Volumetric Capacity (cu.mtr)                                 | 1.18                                   |
| Maximum Payload (kg)   | Up to 1000                             |
| Towing Capacity (kg)   | Up to 3500                             |
| Water Wading Depth (mm)  | 800                                    |
| Angle of Approach (Curb) (degree)                                      | 29.4                                   |
| Angle of Departure (Curb) (degree)                                     | 22                                     |
| Rampover Angle (Curb) (degree)   | 21.5                                   |



COLOUR



Absolute Black